

DH-CA-F480F

700TVL Cost-effective Camera



Features

- > 1/3" SONY EXview HAD CCD II & Effio-E DSP
- > High resolution of 700TVL(Color)
- > DWDR, Day/Night, 2DNR, Auto iris, AWB, AGC,BLC, MD, Privacy Masking, Picture Adjustment
- > OSD, DC12V


DH-CA-F480F

Technical Specifications

Model	DH-CA-F480FP		DH-CA-F480FN
Camera			
Image Sensor	1/3" EXview HAD CCD II		
Effective Pixels	976(H) x582(V), 570K pixels	976(H) x 494(V), 480K pixels	
Horizontal Resolution	Color: 700TVL		
Electronic Shutter	1/50s~1/100,000s	1/60s~1/100,000s	
Synchronization	Internal		
Mini. Illumination	0.01Lux@F1.2		
S/N Ratio	>60dB		
Video Output	1Vp-p Composite Output (75Ω/BNC)		
Camera Features			
OSD	English, Chinese, French, German, Russian, Spanish, Portuguese, Japanese		
Day/Night	Auto(Electronic) / Color / B/W		
Backlight Compensation	BLC / HLC / DWDR		
White Balance	Auto Trace WB1 / Auto Trace WB2 / Manual / Auto		
Gain Control	Auto / Manual		
Noise Reduction	2D		
Privacy Masking	Up to 4 areas		
Picture Adjustment	Mirror / Brightness / Contrast / Sharpness / Hue / Gain		
Lens			
Lens Type	Manual / Auto iris		
Mount Type	C / CS		
General			
Power Supply	DC12V±10%		
Power Consumption	Max 2W		
Working Environment	-30°C~+60°C / 20%~80%RH		
Dimensions(W×D×H)	67.1mm × 136.3mm× 62.8mm		
Weight	200g		

DH-CA-F480F

Dimensions (mm)



<http://www.asi.ind.in>

Dahua Technology Co., Ltd.

1187 BinAn Road, Binjiang District, Hangzhou, China

Tel: +86-571-87688883

Fax: +86-571-87688815

Email: overseas@dahuatech.com

www.dahuatech.com

*Design and specifications are subject to change without notice.

© 2012 Dahua Technology Co., Ltd.